

WEST Search History

[Hide Items](#)
[Restore](#)
[Clear](#)
[Cancel](#)

DATE: Monday, December 06, 2004

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR</i>		
<input type="checkbox"/>	L30	L29 and graph	1
<input type="checkbox"/>	L29	6088524.pn.	2
<input type="checkbox"/>	L28	L27 and ((quer\$ or search\$ or inquir\$ or enquir\$) near (expression or expressions or graph or predicate or predicates))	8
<input type="checkbox"/>	L27	L26 and ((graph or graphs) near (node or nodes))	51
<input type="checkbox"/>	L26	(optimiz\$ near (graph or expression or expressions or statements or predicate or predicates))	1997
	<i>DB=USPT; PLUR=NO; OP=OR</i>		
<input type="checkbox"/>	L25	L24 and ((graph or graphs) near (node or nodes))	4
<input type="checkbox"/>	L24	L23 and (query adj1 optimizer)	27
<input type="checkbox"/>	L23	(707/100).ccls.	1611
<input type="checkbox"/>	L22	L21 and (optimiz\$ same (display\$ or interfac\$))	10
<input type="checkbox"/>	L21	L20 and (expression or expressions or statement or statements)	14
<input type="checkbox"/>	L20	L18 and ((graph or graphs) near (node or nodes))	15
<input type="checkbox"/>	L19	L18 and ((database or data adj1 base\$) adj1 optimizer)	4
<input type="checkbox"/>	L18	L17 and (query adj1 optimizer)	192
<input type="checkbox"/>	L17	(707/2 707/3).ccls.	3770
<input type="checkbox"/>	L16	L3 and ((time or realtime or real-time or (real adj1 time)) same optimizer)	33
<input type="checkbox"/>	L15	L3 and (build\$ same (graph or graph\$))	2
<input type="checkbox"/>	L14	L3 and ((time or realtime or real-time or (real adj1 time)) near (quer\$ or search\$))	18
<input type="checkbox"/>	L13	L3 and ((chang\$ or modif\$ or transform\$) same (graph\$ or graph\$))	9
<input type="checkbox"/>	L12	L3 and (build\$ same (quer\$ or search\$))	24
<input type="checkbox"/>	L11	L3 and ((graph or graphs\$) same (node\$ or level\$ or hierarchy or hierarch\$ or tree\$))	15
<input type="checkbox"/>	L10	L9 and optimiz\$	40
<input type="checkbox"/>	L9	L8 and (graph or graph\$)	133
<input type="checkbox"/>	L8	lewis-cheryl.xa.	280
<input type="checkbox"/>	L7	lewis-chery.xa.	0
<input type="checkbox"/>	L6	L4 and L5	26
<input type="checkbox"/>	L5	L3 and optimizer	62
<input type="checkbox"/>	L4	L3 and (graph or graphs)	28

10/014,996

- ☐ L3 ((database\$ or (data adj1 base\$) or databank\$ or (data adj1 bank\$)) near optimiz\$ near (search\$ or quer\$)) 75
(L1).pn. (6311181 6691099 5812996 5822749 5301317 5930785 6363371 6526403 6529901 6122644 6516310 6618719 5598559 6353818 6581055 6615203 5495605 6353820 6006220 6219660 6219660 6704724 5412804 5694591 5926809 5544355 5822750 6026391 6356890 6356891 6366903 6513029 6397204 6353819 6438536 5619692 6263345 6266658 6014656 6275818 6012064 6460045 6470331 5495608 5692182 5692174 5875334 6434545 5717911 6408292).pn. (5664171 5864841 5950188 5822748 6073129 6105033 5797136 5345585 6421657 5995959 6240406 6434544 5960428 5826076 5668987 5960423 6032144 6061676 6061676 6457020 6567802 5734884 5758144 6003022 6067542 5548755 6529896 5794231 5630120 6665664 5600831 6282281 6466570 6026390 6466931 6665663 5724569 5778354 5870752 6353821 6341302 6631381 6477540 5542089 5899986 5903888 6029163 6144957 6598044 6385604).pn. (5903887 5953715 6009428 6510422 6374263 6263339 6326962 6507834 6604096 6618718 6625593 5629878 6292830 6560593 6014655 5930795 5335345 5778364 5897632 6339769 6460027 5325525 6356887 6115703 5850547 5806059 6026394 5999192 5664172 6385603 6609131 6549895 6300948 6418448 6006214 5758146 5778353 5832475 5995957 6513034 6519601 6560594 6643636 5857180 5963936 5870739 5873079 5884304 6167393 5535385).pn. (6397206 6128612 5600829 5835904 5926813 5950186 6006233 6278989 5220665 5983200 5548758 5548754 6065007 6665684 6493700 5844554 5694463 5701473 5745915 6381604 5893088 6697818 5913206 5913207 6223171 6223171 5937401 5960426 5963933 6035298 6085189 5546570 5551031 5557791 5918232 5987580 5995973 6289336 6298338 6493701 5857182 5761654 5499368 5864842 6044216 6298342 4829427 6009198 5265244 5802518).pn. (5819257 6415297 6507844 6138112 6439783 6006219 6173278 6684203 5742806 6003036 6272487 6289334 6601064 5974418 6006224 6438541 6546381 5737592 5826269 5903898 5940289 6076085 6105043 6230156 6374238 6298126 5379419 5577241 6411951 5754766 6151598 6052687 4498145 5515531 5895467 5995974 6009425 6058394 6098075 6223179 6223179 6256667 6427145 6675160 5201046 5261093 5555403 5727197 5740421).pn.
(5873075 5940819 5878427 5758335 6105020 6092062 6345267 5671403 6012054 5574900 5761653 6009265 6108648 6353826 6691101 6438741 5680603 5701455 5724568 5752017 5832477 5956706 6081801 5608904 5943666 6341281 5819255 5822747 6021405 6205441 6470330 5546576 6212514 6212514 6356889 5412806 5687362 5855019 5864840 6032143 6088691 6330552 6351742 6360214 6636846 5469568 5542073 6366901 6370522 5276870)
- ☐ L2 294
- ☐ L1 446

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

optimizer and query and execution and graph and database

SEARCH


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

optimizer and query and execution and graph and database

Found 45,551 of 147,060

Sort results by


☒ [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results


☒ [Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Special issue in parallelism in database systems: Considering data skew factor in multi-way join query optimization for parallel execution](#)

Kien A. Hua, Yo Lung Lo, Honesty C. Young

 July 1993 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 2 Issue 3

Full text available: pdf(1.43 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

A consensus on parallel architecture for very large database management has emerged. This architecture is based on a shared-nothing hardware organization. The computation model is very sensitive to skew in tuple distribution, however. Recently, several parallel join algorithms with dynamic load balancing capabilities have been proposed to address this issue, but none of them consider multi-way join problems. In this article we propose a dynamic load balancing technique for multi-way joins, and i ...

Keywords: load balancing, multi-way join, parallel-database computer, query optimization

2 [OFL: a functional execution model for object query languages](#)

Georges Gardarin, Fernando Machuca, Philippe Pucheral

 May 1995 **ACM SIGMOD Record , Proceedings of the 1995 ACM SIGMOD international conference on Management of data**, Volume 24 Issue 2

Full text available: pdf(1.40 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a functional paradigm for querying efficiently abstract collections of complex objects. Abstract collections are used to model class extents, multivalued attributes as well as indexes or hashing tables. Our paradigm includes a functional language called OFL (Object Functional Language) and a supporting execution model based on graph traversals. OFL is able to support any complex object algebra with recursion as macros. It is an appropriate target language for OQL-like query compilers. ...

3 [Query processing: Estimating compilation time of a query optimizer](#)

Ihab F. Ilyas, Jun Rao, Guy Lohman, Dengfeng Gao, Eileen Lin

 June 2003 **Proceedings of the 2003 ACM SIGMOD international conference on Management of data**

Full text available: pdf(292.76 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A query optimizer compares alternative plans in its search space to find the best plan for a


10/014,996

given query. Depending on the search space and the enumeration algorithm, optimizers vary in their compilation time and the quality of the execution plan they can generate. This paper describes a compilation time estimator that provides a quantified estimate of the optimizer compilation time for a given query. Such an estimator is useful for automatically choosing the right level of optimization in comme ...

4 Special issue in parallelism in database systems: Parallel query processing with zigzag trees

Mikal Ziane, Mohamed Zaït, Pascale Borla-Salamet

July 1993 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 2 Issue 3

Full text available:  [pdf\(1.39 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)


In this article, we describe our approach to the compile-time optimization and parallelization of queries for execution in DBS3 or EDS. DBS3 is a shared-memory parallel database system, while the EDS system has a distributed-memory architecture. Because DBS3 implements a parallel dataflow execution model, this approach applies to both architectures. Using randomized search strategies enables the exploration of a search space large enough to include zigzag trees, which are intermediate between le ...

Keywords: cost function, fragmentation, pipeline, search space

5 An XML query engine for network-bound data

Zachary G. Ives, A. Y. Halevy, D. S. Weld

December 2002 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 11 Issue 4

Full text available:  [pdf\(351.86 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

XML has become the lingua franca for data exchange and integration across administrative and enterprise boundaries. Nearly all data providers are adding XML import or export capabilities, and standard XML Schemas and DTDs are being promoted for all types of data sharing. The ubiquity of XML has removed one of the major obstacles to integrating data from widely disparate sources - namely, the heterogeneity of data formats. However, general-purpose integration of data across the wide are a also re ...

Keywords: Data integration, Data streams, Query processing, Web and databases, XML

6 Rule-based optimization and query processing in an extensible geometric database system

Ludger Becker, Ralf Hartmut Güting

June 1992 **ACM Transactions on Database Systems (TODS)**, Volume 17 Issue 2

Full text available:  [pdf\(3.35 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Gral is an extensible database system, based on the formal concept of a many-sorted relational algebra. Many-sorted algebra is used to define any application's query language, its query execution language, and its optimization rules. In this paper we describe Gral's optimization component. It provides (1) a sophisticated rule language—rules are transformations of abstract algebra expressions, (2) a general optimization framework under which more specific optimization algorithms can be ...

Keywords: extensibility, geometric query processing, many-sorted algebra, optimization, relational algebra, rule-based optimization

7 [A graph-theoretic model for optimizing queries involving methods](#)

Chiang Lee, Chi-Sheng Shih, Yaw-Huei Chen

April 2001 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 9 Issue 4

Full text available:  [pdf\(266.86 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Traditional algorithms for optimizing the execution order of joins are no more valid when selections and projections involve methods and become very expensive operations. Selections and projections could be even more costly than joins such that they are pulled above joins, rather than pushed down in a query tree. In this paper, we take a fundamental look at how to approach query optimization from a top-down design perspective, rather than trying to force one model to fit into another. We present ...

Keywords: Graph model, Method query, Object-oriented databases, Query optimization, Spanning tree

8 [Experiences building the open OODB query optimizer](#)

José A. Blakeley, William J. McKenna, Goetz Graefe

June 1993 **ACM SIGMOD Record , Proceedings of the 1993 ACM SIGMOD international conference on Management of data**, Volume 22 Issue 2

Full text available:  [pdf\(1.33 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper reports our experiences building the query optimizer for TI's Open OODB system. To the best of our knowledge, it is the first working object query optimizer to be based on a complete extensible optimization framework including logical algebra, execution algorithms, property enforcers, logical transformation rules, implementation rules, and selectivity and cost estimation. Our algebra incorporates a new materialize operator with its corresponding logical transform ...

9 [Cost-based query scrambling for initial delays](#)

Tolga Urhan, Michael J. Franklin, Laurent Amsaleg

June 1998 **ACM SIGMOD Record , Proceedings of the 1998 ACM SIGMOD international conference on Management of data**, Volume 27 Issue 2

Full text available:  [pdf\(1.81 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Remote data access from disparate sources across a wide-area network such as the Internet is problematic due to the unpredictable nature of the communications medium and the lack of knowledge about the load and potential delays at remote sites. Traditional, static, query processing approaches break down in this environment because they are unable to adapt in response to unexpected delays. Query scrambling has been proposed to address this problem. Scrambling modifies query execution plans o ...

10 [Adaptive query optimization in a deductive database system](#)

Marcia A. Derr


December 1993 **Proceedings of the second international conference on Information and knowledge management**

Full text available:  [pdf\(958.87 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

11 [Call graph prefetching for database applications](#)

Murali Annavaram, Jignesh M. Patel, Edward S. Davidson

November 2003 **ACM Transactions on Computer Systems (TOCS)**, Volume 21 Issue 4

Full text available:  [pdf\(701.71 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

With the continuing technological trend of ever cheaper and larger memory, most data sets in database servers will soon be able to reside in main memory. In this configuration, the performance bottleneck is likely to be the gap between the processing speed of the CPU and the memory access latency. Previous work has shown that database applications have large instruction and data footprints and hence do not use processor caches effectively. In this paper, we propose Call Graph Prefetching (CGP), ...

Keywords: Instruction cache prefetching, call graph, database

12 Multiple-query optimization

Timos K. Sellis

March 1988 **ACM Transactions on Database Systems (TODS)**, Volume 13 Issue 1

Full text available:  [pdf\(2.19 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Some recently proposed extensions to relational database systems, as well as to deductive database systems, require support for multiple-query processing. For example, in a database system enhanced with inference capabilities, a simple query involving a rule with multiple definitions may expand to more than one actual query that has to be run over the database. It is an interesting problem then to come up with algorithms that process these queries together instead of one query at a time. Th ...

13 Outerjoin simplification and reordering for query optimization

César Galindo-Legaria, Arnon Rosenthal

March 1997 **ACM Transactions on Database Systems (TODS)**, Volume 22 Issue 1

Full text available:  [pdf\(616.62 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

Keywords: outerjoins, query optimization, query reordering

14 NiagaraCQ: a scalable continuous query system for Internet databases

Jianjun Chen, David J. DeWitt, Feng Tian, Yuan Wang

May 2000 **ACM SIGMOD Record , Proceedings of the 2000 ACM SIGMOD international conference on Management of data**, Volume 29 Issue 2

Full text available:  [pdf\(165.02 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Continuous queries are persistent queries that allow users to receive new results when they become available. While continuous query systems can transform a passive web into an active environment, they need to be able to support millions of queries due to the scale of the Internet. No existing systems have achieved this level of scalability. NiagaraCQ addresses this problem by grouping continuous queries based on the observation that many web queries share similar structures. Grouped queries ...

15 Answering queries using views: A survey

Alon Y. Halevy

December 2001 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 10 Issue 4

Full text available:  [pdf\(308.74 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

The problem of answering queries using views is to find efficient methods of answering a query using a set of previously defined materialized views over the database, rather than accessing the database relations. The problem has recently received significant attention because of its relevance to a wide variety of data management problems. In query


optimization, finding a rewriting of a query using a set of materialized views can yield a more efficient query execution plan. To support the separat ...

Keywords: Data integration, Date warehousing, Materialized views, Query optimization, Survey, Web-site management

16 Query evaluation techniques for large databases

Goetz Graefe

June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Full text available:  pdf(9.37 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

Keywords: complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality

17 Stochastic query optimization in distributed databases

P. E. Drenick, E. J. Smith

June 1993 **ACM Transactions on Database Systems (TODS)**, Volume 18 Issue 2

Full text available:  pdf(1.64 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)


Many algorithms have been devised for minimizing the costs associated with obtaining the answer to a single, isolated query in a distributed database system. However, if more than one query may be processed by the system at the same time and if the arrival times of the queries are unknown, the determination of optimal query-processing strategies becomes a stochastic optimization problem. In order to cope with such problems, a theoretical state-transition model is presented that treats the s ...

Keywords: distributed query processing, state-transition model, stochastic query optimization

18 Extensible query processing in starburst

L. M. Haas, J. C. Freytag, G. M. Lohman, H. Pirahesh

June 1989 **ACM SIGMOD Record , Proceedings of the 1989 ACM SIGMOD international conference on Management of data**, Volume 18 Issue 2


Full text available:  pdf(1.63 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Today's DBMSs are unable to support the increasing demands of the various applications that would like to use a DBMS. Each kind of application poses new requirements for the DBMS. The Starburst project at IBM's Almaden Research Center aims to extend relational DBMS technology to bridge this gap between applications and the DBMS. While providing a full function relational system to enable sharing across applications, Starburst will also allow (sophisticated) programmers to add many kinds of ...

19 Query Optimization in Database Systems

Matthias Jarke, Jurgen Koch

June 1984 **ACM Computing Surveys (CSUR)**, Volume 16 Issue 2Full text available:  [pdf\(2.84 MB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**20 Optimization of object-oriented recursive queries using cost-controlled strategies**

Rosana S. G. Lancelotte, Patrick Valduriez, Mohamed Zait

June 1992 **ACM SIGMOD Record , Proceedings of the 1992 ACM SIGMOD international conference on Management of data**, Volume 21 Issue 2Full text available:  [pdf\(1.07 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Object-oriented data models are being extended with recursion to gain expressive power. This complicates the optimization problem which has to deal with recursive queries on complex objects. Because unary operations invoking methods or path expressions on objects may be costly to execute, traditional heuristics for optimizing recursive queries are no longer valid. In this paper we propose a cost-based optimization method which handles object-oriented recursive queries. In particular, it is ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Return to the USPTO NPL Page](#) | [Help](#)

Databases selected: Multiple databases...

[NEW! Alerts and more...](#)**Results** – powered by ProQuest® Smart Search[Suggested Topics](#) [About](#)< Previous | [Next](#) >[Browse Suggested Publications](#)< Previous | [Next](#) >[Statistical data](#)[Statistical data AND Graphs](#)[Statistical data AND Mathematical models](#)[Statistical data AND Democratic Party \(company/org\)](#)[About](#)[The Lancet; London](#)[Wall Street & Technology; New York](#)4 documents found for: *optimizer and query and graph*[Set up Alert](#)[About](#)[All sources](#) [Scholarly Journals](#)☐ [Mark / Clear](#) all on page[View marked documents](#)[Show all documents](#)Sort results by: [Most recent first](#)

- ☐ 1. **An adaptive probe-based technique to optimize join queries in distributed Internet databases**
Latifur Khan, Dennis McLeod, Cyrus Shahabi. *Journal of Database Management*. Hershey: Oct-Dec 2001. Vol. 12, Iss. 4; p. 3 (12 pages)

[Text+Graphics](#)[Page Image - PDF](#)[Abstract](#)

- ☐ 2. **LECCOTECH Introduces LECCO DB Expert for Oracle; For DBA Use in Managing & Enhancing Oracle Databases**
Business Editors/High-Tech Writers. *Business Wire*. New York: Feb 8, 2001. p. 1

[Full text](#)[Abstract](#)

- ☐ 3. **The state of the art in distributed query processing**
Donald Kossmann. *ACM Computing Surveys*. Baltimore: Dec 2000. Vol. 32, Iss. 4; p. 422 (48 pages)

[Text+Graphics](#)[Page Image - PDF](#)[Abstract](#)

- ☐ 4. **O2 Technology launches tool for building Web servers**
Bancilhon, Francois. *Business Wire*. New York: Feb 20, 1996. p. 1

[Full text](#)[Abstract](#)

1-4 of 4

Want an alert for new results sent by email?

[Set up Alert](#)[About](#)Results per page: [30](#)**Basic Search**[Tools:](#) [Search Tips](#) [Browse Topics](#) [2 Recent Searches](#)[Search](#)[Clear](#)

10/014,996

Database:  [Select multiple databases](#)

Date range: 

Limit results to: ☒ Full text documents only 

☐ Scholarly journals, including peer-reviewed  [About](#)

 [More Search Options](#) 

Copyright © 2004 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)

[Text-only interface](#)

From: ProQuest
COMPANY

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

 Your search matched **3** of **1099723** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Semantic query optimization for query plans of heterogeneous multidatabase systems
Chun-Nan Hsu; Knoblock, C.A.;

Knowledge and Data Engineering, IEEE Transactions on , Volume: 12 , Issue: 6 , Nov.-Dec. 2000

Pages:959 - 978

[\[Abstract\]](#)
[\[PDF Full-Text \(916 KB\)\]](#)
IEEE JNL
2 Optimizing large join queries using a graph-based approach
Chiang Lee; Chi-Sheng Shih; Yaw-Huei Chen;

Knowledge and Data Engineering, IEEE Transactions on , Volume: 13 , Issue: 2 , March-April 2001

Pages:298 - 315

[\[Abstract\]](#)
[\[PDF Full-Text \(544 KB\)\]](#)
IEEE JNL
3 Tree query optimization in distributed object-oriented databases
Hyeokman Kim; Sukho Lee;

EUROMICRO 94. System Architecture and Integration. Proceedings of the 20th EUROMICRO Conference. , 5-8 Sept. 1994

Pages:45 - 52

[\[Abstract\]](#)
[\[PDF Full-Text \(776 KB\)\]](#)
IEEE CNF
[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved